

INDEX

Page numbers in **boldface** indicate tables.

A

Abbreviations used in wiring sections, 304

Absorber plates, 83-88

cleaning of, 62-63

dust on, 130

efficiency curves for, 324-25

flat plate, 127-28 installation

of, 126, 165-68 materials for,
102

options for, 184-85

Pittsburgh joints for, 85

preparation of, 163-65

selective surface for, 86-88

Absorber surface, metal, 4

Absorptivity, high, 86

Acrylics, 82

Active air-heating systems, 4, 5-7, 13

building of, 148-202

design considerations for, 63-75

materials for, 173

matrix, 73, 75

operating costs for, 115

placement of, 53

temperature differential in, **74**

Air

density of, 64

friction of, in straight ducts, 335 outside,

feeding collector with, 327-28 quality of,

77

standard, 331

turbulence of, 64, 236

velocity of, 232

Air circulators, room, 146, 147

Air collectors

convective, 329

thermosiphoning, 4

Air delivery checkout, 237

Air density, 64

Air filters, 215

Airflow calculation, **74** Airflow

disruptors, 184, 190 Airflow

rates, 63-64, 200, 259 Airflow

rules, 67

Airflows

balancing of, 237-38

laminar, 57-58

velocity of, 64, 232

Air handlers, 259-60

prefabricated, 282 sources

of, 281-82 Air-heater

options, 9-24

Air heaters, convective. See Convective air

heaters

- Air-heating collectors, 5, 7-8 Air-heating systems, active, 13 Air panel, thermosiphoning. See Thermosiphoning air panel
- Air quality, 77
- Airstream, heat transfer to, 325-26
- Air-to-water heat exchanger, 19, 21, 240-41 Air-to-water systems building of, 245-53
- design guidelines for, 239-44
- Air turbulence, 64, 326
- Air velocity, 232
- Altitude, sun, 44
- Aluminum duct tape, 95-96
- Aluminum plates, 84, 86, 102
- Ambient temperature, 2, 320-21
- Anemometer, 237
- hot wire, 330-31
- Annealed glass, 79, 81
- Annual mean solar radiation, 34
- Aquastat, 244
- Attached mounts, 174
- Aviation snips, 97-98
- B**
- Backdraft dampers, 17, 18, 62 building of, 134-37, 223, 224-26 flappers for, 225-26
- one-way, 111, 112, 119
 - testing and installation of, 138-39
- Backing, insulative, 161-63
- Backpass collector, 59
- Backpass designs, 141-42
- Back-up heaters, heat exchange tanks and, 253-54
- Backward-inclined blowers, 233-34
- Baer, Steve, 253
- Baffles, 67-68
- Base plates, 152-53 Belt-driven blowers, 234-35
- Bending tools, 100 Binder-head screws, 94 Bins, rock. See Rock bins Black chrome, 86
- Black-roof collectors retrofitting of, 195-202 Ron Loser's, 294-96 Blower hookups, 118-19 Blowers, 69-70, 109-10, 119 backward-inclined, 233-34
- belt-driven, 234-35 choosing of, 229-30, 232-37 collector, 18
 - direct-drive, 234-35 forward-curve, 109, 233 high-static-pressure, 235 installation of, 157, 210-13 radial-blade, 234
 - squirrel cage, 210
- Bond beam blocks, 275
- Bottom supports, 181
- Boundary layers, 64
- Bricks, for thermal storage, 265-66
- British thermal unit (Btu), 3
- fuel cost per million, 29
- Building codes, 316-17
- Building permits, 316 Buried rock bins, 276 Butterfly dampers, 69
- Butyl caulk, 93
- Butyl tape, glazing with, 143-44

Made available with generous permission of the authors

C

Catalogs, mail-order, 100-101

Caulk, sources for, 102

Caulking, 36, 81, 90-94

Caulking gun, 100

Charts, sun path, 297-301

Chimney effect, 56-57

Cinder blocks, 211, 212

Circuit breakers, 316

Circulators, room air, 146, 147

Clear-day solar energy, 3

Cleats, 214

Codes, building, 316-17

Cold air intake, 16

Collars

starting, 216

vibration, 211

Collection process, 4

Collector-and-crawl-space distribution

system, 13-15

Collector area, floor area and, **40**

Collector blower, 18

Collector components, static pressure in, **234**

Collector inlet, 16

Collector insulation, 94-97

Collector materials. *See* Materials

Collectors, 4-8

active. *See* Active air-heating systems

active matrix, 73, 75

air-heating, 5, 7-8

all-metal, 190-94

backpass, 59

black-roof. *See* Black-roof collectors

convective air, 329

cooling of, 113

design of, 44-75

do-it-yourself, xiii-xiv

doublepass, 59

farmstead, 24

fixed, 45

flat plate. *See* Flat plate collectors

Gibson's, 72-73

glazings for. *See* Glazings

large, for heating water, 242

liquid-heating, 5, 7-8

look of, xiv

matrix. *See* Matrix collectors

mesh, 59-60, 130

mounts for, 48

orientation of, 44-45

from panels, building of, 1,93

passive, 4-5

placement of, 53-54

planning for, in new construction, 54-55

as retrofits, 6-7

roof, 286-88

roof-mounted, building of, 150-73

single-glazed, 70-71

site-built. *See* Site-built collectors

size of, 29

\$300, 198, 199

tilting of, 46, 48, 49, 52-53

on flat roof, 176

tracking, 45

tying into, 216

U-tube. *See* U-tube collectors

vertical, 48

weatherproofing of, 171-72

window box. *See* Window box

collectors

wood-frame, building of, 194-95

Collector siting, moonshine, 52

Collector thermostat, 16-17

Made available with generous permission of the authors

Collector trusses, 150, 153-54
 Compression seals, 111
 Computer fan, 62
 Concrete bins, 271
 Conduction, heat, 1
 Connectors, crimp, 301
 Construction

- materials for, 76-104
- new, planning for collectors in, 54-55

 Consumption, residential energy, 33 Control systems, 105

- troubleshooting of, 315-16

 Control wiring, checking of, 315-16
 Convection, heat, 1
 Convective air collectors, 329
 Convective air heaters, 10-13

- design considerations for, 55-60

 Convective loop, 1
 Convective rock-bed storage systems, 147
 Cooling, summer, 200-202
 Cooling collectors, 113
 Copper pipe, 253-54
 Corrosion of materials, 98
 Cost-effective system, 25
 Costs, operating, 115
 Crawl space

- holes to, 178
- working in, 220-21

 Crawl-space controls, 14-15 Crawl-space storage system, 15, 268-71 Crawl-space system, 13-15
 Cricket, for drainage, 174
 Crimp connectors, 301
 Crimpers, duct, 100
 Cross ties, rock bin, 277-78
 Cut-off point, 105
 Cut-off static pressure, 235
 Cutting holes, 213-14
 CYRO system, 186

D

Dampers, 11, 14, 110-13, 119

- backdraft, 17, 18, 62
- building of, 223-29
- butterfly, 69
- guillotine, 228-29 installation of, 214-15 internal balancing of, 72 manual, building of, 226-29 motorized, 111, 112, 119 one-way, 111, 112, 119 testing of, 229

 Degree-day, heating (HDD), 3
 Demand-type water heaters, 244
 DEM-KOTE, 96
 Differential, of thermostat, 105 Differential thermostat (DT), 106, 107-8, 120, 200

- for solar water heating, 243-44
- wiring of, 117

 Direct-drive blowers, 234-35
 Direct-use systems, 15-16
 Disruptors, airflow, 184, 190
 Distribution process, 4
 Distribution system

- balancing of, 334, 336 collector- and -crawl I-space, 13-15
- installation of, 210-16

 Double glazing, 142-43, 186, 188
 Double-pane sealed glass, 81
 Doublepass collector, 59 Drainage, cricket for, 174 Dribblers, 249-50
 Drill, electric, 99
 DT. See Differential thermostat
 Ductboard, 206
 Ductboard ducting, 95, 102
 Duct crimpers, 100

Made available with generous permission of the authors

Duct holes, 154-55 Duct materials, 204-10 Ducts return, 159 straight, friction of air in, 335
 Duct sizing, 204, 216
 Duct systems design and installation of, 203-38
 Duct tape, aluminum, 95-96
 Duct transitions, 229
 Ductwork, 16, 62 assembling of, 206-10 design of, 203-4 installation of, 157 locating of, 203-4 static pressure in, 230-32
 Dust on absorber, 130 on glazing, 130

E

Easements, solar, 46, 317-18
 Economic efficiency, 329
 Economics of domestic water heating, 33-36 of solar heating, 25-43 of space heating, 36-38
 Efficiency, 319 economic, 329 system, 329-30 Efficiency curves, 319-28 generating, 320, 321
 Elastomeric sealants, 91
 Elbows, duct, 207-9
 Electrical components and terminology, 302-4

Electrical controls, 105
 Electric drill, 99
 Electric resistance heaters, 42-43
 Emissivity, low, 86
 Energy consumption, residential, 33
 EPDM (ethylene-propylene-diene-monomer), 86
 Equal static pressure method, for sizing ductwork, 334
 Etherton retrofit, 290-91
 Ethylene copolymer caulk, 91
 Ethylene-propylene-diene-monomer (EPDM), 86
 Eutectic salts, 266-67
 Exolite, 82
 Expanded polystyrene, 94-95
 Expansion of materials, 98
 Expected heat delivery, 41

F

Fan, computer, 62
 Farmstead collectors, 24
 Fiberglass batts, 95
 Fiber-reinforced plastic (FRP), 79, 102 as glazing, 127, 194-95
 Films, solar, 102
 Filters, air, 215
 Financing, 318
 Fin bands, 246
 Finned-tank-type exchanger, 19-20
 Fire danger, 316-17
 Fishing wires, 118
 Fixed collectors, 45
 Flappers for backdraft dampers, 225-26

Made available with generous permission of the authors

Flashing, 97, 102, 185, 187, 188, 190
 Flat plate absorbers, 127-28
 Flat plate collectors, 6
 efficient, characteristics of, 319-30
 Flexible duct, 206
 Flexigard, 82
 Floor area, collector area and, **40**
 Floor registers. See Register boots
 Flow rates, air, 63-64, 200, 259
 Forced convection, 4 Forward-curve blowers, 109, 233
 Foundation plate, 177-78 Four-mode system, 22
 Freon, 107 •
 Friction of air, in straight ducts, 3,35
 Frisket paper, 135, 147
 FRP. See Fiber-reinforced plastic
 Fuel bill, heat loss and, 42
 Fuel cost per million Btu, **29**
 Fuel oil, 43

G

Galvanic corrosion, 98
 Galvanized metal, 86, 102
 Galvarep, 96
 Gas, natural, 43
 Gibson's collector, 72-73
 Glass
 annealed, 79, 81
 cleaning of, 80 double-pane sealed, 81 moving of, 80, 81 nonglare, 78
 nontempered, 79, 81

 solar, 102
 tempered, 78-79, 102
 Glass slippage, 294
 Glass support installation, 168-69
 Glazing method, 186
 Glazing(s), 78, 102, 169-71
 with butyl tape, 143-44
 collector, 169-71
 for collectors, **83**
 double, 142-43, 186, 188
 dust on, 130
 efficiency curves for, 323-24
 FRP, 127
 thin film, 79, 82
 Gonzales retrofit, 283-88
 Gravel bed under slab-an-grade floor, 22-23
 Greenhouse effect, 4
 Grilles, louvered, 144
 Ground mounts, tilted, 176-78
 Guillotine dampers, 228-29
 Gussets, plywood, 154

H

HDD (heating degree-day), 3
 Heat
 adding to house, 2
 convection of, **1**
 cost of, **30** "high-grade," **9** "low-grade," **9** radiant, **1**
 Heat delivery
 expected, 41

Made available with generous permission of the authors

sizing for, 37-38

Heaters

- convective. *See* Convective air heaters
- electric resistance, 42-43

Heat exchanger air-to-

- water, 19, 21
- isolating of, 241
- sizing of, 241-42

Heating

- solar. *See* Solar heating
- water, economics of domestic, 33-36
- zone, 15-16

Heating degree-day (HDD), 3

Heating needs, 32

Heating zones, **35**, 39

Heat losses, 9

- fuel bill and, 42
- minimizing of, 1-2
- prevention of, 203

Heat storage. *See* Thermal storage

Heat transfer, 1, 64-67

- to airstream, 325-26
- optimizing of, 58-60
- sensible, 2

Heat trap, 105, 106

Hex-head screws, 94

High-static-pressure blowers, 235

High-temperature materials, 76-77

Holes, cutting of, 213-14

Home-improvement loan, 318

Hook joints, 184-85

Horizontal mullions, 141

Horizontal tanks, 248-50

Hot air registers, 18-19

Hot spots, 67

Hot water, preheating, 29, 267-68

Hot wire anemometer, 330-31

House, adding heat to, 2

Hybrid systems, 4

I

In-and-out tabs, 215-16, 217

Incidence, angle of, 44-45

In-duct coil-type heat exchanger, 240-41, 250-51

In-duct radiator-type heat exchanger, 19

Insolation, 3, 319

- amount of, 331-32
- latitude and, **40**

Installation, 42-43. *See also* Mounts

Insulation, 1-2, 25, 102

- for collector, 94-97
- efficiency curves for, 326
- in rock storage, 275
- for window box collectors, 123

Insulation levels, **35**, 39

Insulation stapler, 100

Insulative backing, 161-63

Internal balancing dampers, 72

Internal manifolding, 69

Investment, return on, 26

K

Kopf house TAP, 293-94

Kratz, Mary, 288-90

Made available with generous permission of the authors

- L**
- Ladder arrangements, 181-83
 - Laminar airflow, 57-58
 - Latitudes
 - insolation and, **40**
 - sun path charts for different, 297-301
 - Lexan, 82
 - Liquid-heating collectors, 5, 7-8
 - Liquid systems, 328-29
 - Litho plates, 84, 102
 - Loan, home-improvement, 318
 - Locking pliers, 100
 - Logic charts
 - for three-mode system with two blowers, **312**
 - for two-mode system for domestic water and crawl-space heating, **307**
 - for two-mode system for space heating, **310**
 - Loser black-roof collector, 294-96
 - Louvered grilles, 144
- M**
- Magazines, solar, 102
 - Magnetic-variation map, 47
 - Mail-order catalogs, 100-101
 - Maintenance, 193-94
 - Manifolds, 67, 68-69, 155-56
 - arrangements of, 222
 - building of, 216-23
 - design of, 219
 - insulating of, 221
 - materials for, 222-23
 - rectangular, 219
 - sealing of, 220-21
 - sizing of, 217, 219
 - Manometers, 333
 - Manual dampers, building of, 226-29
 - Manual on/off switches, 109
 - Masonry walls, 53, 180-81
 - mounting on, 145-46
 - Materials, 76-94
 - for active collector system, 173
 - corrosion of, 98
 - for duct, 204-10
 - expansion of, 98
 - high-temperature, 76-77
 - locating of, 77-78
 - for manifold, 222-23
 - for phase-change system, 266-67
 - for TAP, 134, 135
 - for \$300 collector, 199
 - Matrix collectors, 6, 88
 - active, 73, 75
 - MBtu (thousands of Btu's), 3
 - Mean radiant temperature, 2
 - Mesh absorber, 10, 11
 - Mesh collectors, 59-60, 130
 - Metal
 - galvanized, 86, 102
 - nobility of, 98
 - working with, xiii
 - Metal absorber surface, 4
 - Metal lath, 102
 - expanded, 88
 - for rock bins, 274-75
 - Metalprep, 96
 - Metal studs, 89-90, 104
 - Metal track, 88-90, 91, 104
 - Mildew, in rock bins, 256
 - MMBtu (millions of Btu's), 3
 - Mold, in rock bins, 256
 - Monitoring systems, 330-33

Moonshine collector siting, 52
 Moore, Roy, 195, 202
 Morris, W. Scott, 60, 251 Motorized dampers, 111, 112, 119 Mounts, 48, 174-83. See also
 Installation
 attached, 174
 on masonry walls, 145-46
 rack, 174
 scab roof, 175-76
 stand-off, 174
 tilted ground, 176-78
 vertical wall, 178-81
 Mullions, horizontal, 141
 Mylar, 79, 82

N

Nails, 94
 Natural convection, 4
 Natural gas, 43
 Nissley, Ruby, 288-90
 Nissley/Kratz retrofit, 288-90
 Nobility of metals, 98 Nonglare glass, 78 Nontempered glass, 79, 81 North, Bill, xi

O

Officials, working with, 316-18
 Oil, fuel, 43
 One-blower, four-mode system, 259

One-tank systems, 243
 building of, 250
 One-way (backdraft) dampers, 111, 112, 119
 On/off switches, manual, 109
 Operating costs for active collectors, 115
 Orientation, collector, 44-45

P

Paint, 96-97
 selective, 104
 Paint-Lock, 86, 102
 Panels, building collectors from, 193
 Parts lists
 for two-blower, three- and four-mode systems, 312-15
 for two-mode space-heating system, 310-11
 for two-mode system for water and space heating, 307-8
 Passive collectors, 4-5
 Passive systems, 4 Payback, 26-28
 simple, 26, 28
 variables that affect, **27**
 Performance evaluation, 63, 71, 73
 Performance parameter, 321-22, 332
 Permanent-split-capacitor (PSC) motor, 109
 Permits, building, 316
 Phase-change materials, 266-67
 Photovoltaics, 115
 Pipe, copper, 253-54
 Pittsburgh joints, for absorbers, 85
 Plastic, fiber-reinforced. See Fiber-reinforced plastic

Made available with generous permission of the authors

- Plates
 absorber. See Absorber plates
 aluminum, 84, 86, 102 Plexiglas, 82
 Pliers, locking, 100
 Plywood gussets, 154
 Polyethylene film, 82
 Polyisocyanurate, 95, 102, 133, 189, 190
 Polyurethane, 94-95, 102
 Polyurethane caulk, 93
 Pop rivets, 99-100
 Porcupine tanks, 251, 253
 Preheating water, 29, 267-68
 Pressure, static. See Static pressure
 Priming, 96
 PSC (permanent-split-capacitor) motor, 109
 Pulley, variable-pitch, 237
 Pyranometer, 319, 331
- R**
- Races, 55
 Rack mounting, 174 Radial-
 blade blowers, 234 Radiant
 heat, 1
 Radiation
 annual mean solar, 34
 direct, from thermal storage, 263, 265
 heat, 1
 Rainlock, 84, 86
 Ramstetter, J. K., xi, xv, 192
 Reciprocating saws, 100
 Recycled materials, 76-77
 Reflective gain, 71, 72
 Reflectors, efficiency curves for, 327
- Register boots, 214
 attaching of, 220
 cutting holes for, 219
 installation of, 214
 Relays, 302-4
 Remote bulb thermostat, 16, 106, 107, 121
 wiring of, 118
 Residential energy, consumption of, 33
 Retrofitting
 black-roof collector, 195-202
 collectors, 6-7
 Return duct, 159
 Return on investment, 26
 Returns, 209-10
 Rivets, pop, 99-100
 Rock-bed storage systems, convective, 147
 Rock bins, 22, 255-56
 building of, 271-79
 buried, 276
 cold return from top, 261, 263
 concrete, 271
 design of, 260-63
 insulation in, 275
 made of septic tanks, 271
 placement of, 263
 size for rock in, 281
 sizing calculations for, 262
 static pressure in, **262** V-
 shaped, 274
 Rocks, 273-74
 Rodgers, B. J., 142
 Roof
 flat, tilted collectors on, 176 steeply
 pitched, 182-83, 184 Roof
 collectors, 286-88
 building of, 150-73
 Roof mounts, scab, 175-76
 Room air circulators, 146, 147

Made available with generous permission of the authors

- Rota Flow 2, 282
 Rubber coating, silicone, 93-94
 R-value, 1
- S**
- Salts, eutectic, 266-67
 San Luis Valley, site-built collectors in, x-xiii
 Saws, reciprocating, 100
 Scab roof mounts, 175-76
 S-clips, 214-15
 Screwdrivers, 98-99
 Screws, 94, 95, 102
 Seals, compression, 111
 SEAs (solar energy associations), 77
 Selective paints, 87-88, 104 Selective surface absorbers, 86-88 Selective surface foil, 8
 Selective surfaces, 104
 Semis elective surface, 87
 Sensible heat transfer, 2
 Septic tanks, rock bins made of, 271
 SERI (Solar Energy Research Institute), 330
 Set-point, 105
 Shading, 45-46
 Shading problems, **49**
 Sheathing, 156-57
 Sheet-metal shops, 218
 Shingling, 157
 Shops, sheet-metal, 218
 Silicone, 81, 102, 158
 Silicone caulk, 90-94
 Silicone rubber coating, 93-94
 Silicone smears, cleaning, 171
- Single-glazed collectors, 70-71
 Single-stage thermostat, 19 Site, 25
 efficiency curves for, 328
 evaluating, 38-41
 moonshine collector, 52
 sun at, 44-55
 Site analysis, 50-51
 Site-built collectors, 8
 in San Luis Valley, x-xiii Slab-floor thermal storage, 265 Slab-on-grade floor, gravel bed under, 22-23
 Slab-on-gravel storage, 279-81
 Smoke-bomb testing, 173-74
 Snap disc thermostat, 62, 107, 109, 121
 Snow shear, 71
 Solar easements, 46, 317-18
 Solar energy, clear-day, 3
 Solar energy associations (SEAs), 77
 Solar Energy Research Institute (SERI), 330
 Solar films, 102
 Solar glass, 102
 Solar heating
 commercial installations, 23-24
 costs for, **31-32**
 economics of, 25-43
 principles of, 1-8
 of water, 19-20, 239-54
 Solar magazines, 102
 Solar radiation, annual mean, 34
 Solar rock, 274
 Solar systems
 building your own, xiii-xiv
 efficiency of, 329-30 passive and active, 4

- Solar systems (continued)
 site-specific, xiv-xv
- Solar window, 45-46, 48
- South, true, 47
- SP. See Static pressure
- Space heating, economics of, 36-38
- Squirrel cage blowers, 210
- Stainless-steel screws, 94
- Standard air, 331
- Stand-off mounting, 174
- Stapler, insulation, 100
- Starting collars, 216
- Static pressure (SP), 65, 66, 229-32
 calculating, 334-36
 in collector components, **234**
 cut-off, 235
 in ductwork, 230-32
 measuring, 333
 in rock bins, **262**
 total, 334
- Storage, thermal. See Thermal storage
- Stucco walls, 180
- Studs, metal, 89-90, 104
- Summer cooling, 200-202
- Summer solstice, 44
- Summer venting, 113, 114
- Sun
 observation of, 46
 at site, 44-55
- Sun path charts, 297-301
- Sunshine, 3
 amount of, 44
- Supplies, sources for, 100-104, 119-21, 147, 202, 254, 281-82
- Surface absorbers, selective, 86-88
- Switches, manual on/off, 109
- Symbols, used in wiring schematics, 303
- Systems. See Solar systems
- T
- Tanks, 245
 back-up heaters and, 253-54
 horizontal, 248-50 placement, 243
 porcupine, 251, 253 pressure-testing, sealing, and insulating, 248
- Tank-type heat exchanger, 240-41
- TAP. See Thermosiphoning air panel
- Tax credits, 26-27, 318
- Tedlar, 147
- Teflon, 82, 147
- Temperature
 ambient, 2, 320-21
 mean radiant, 2
- Temperature differentials, **63, 74**
 inlet and outlet, **238**
- Tempered glass, 78-79, 102
- Thermal storage, 4, 20-23, 144-45
 bricks for, 265-66
 in crawl-space system, 15
 direct radiation from, 263, 265
 hot water preheat and, 267-68
 for large systems, 255-82
 passive solar plus active, 268
 rock bin. See Rock bins
 slab-floor, 265
 slab-on-gravel, 279-81
 water containers for, 266
- Thermax, 95, 102, 133, 189, 190
- Thermistors, 108
- Thermosiphoning air collectors, 4
- Thermosiphoning air panel (TAP), 5, 11, 12-13, 61-62
 all-metal framework for, 140-41
 building of, 130-46

Made available with generous permission of the authors

- design of, 131 example of, 132 materials for, 134, 135 mounting of, 56 placement of, 53 positioning of, 131 Silas Kopt's, 293-94
 - Thermostat, 105-9
 - collector, 16-17
 - differential. See Differential thermostat
 - differential of, 105
 - installation of, 157
 - remote bulb. See Remote bulb thermostat
 - in rock bins, 278 sensor installation, 163 single-stage, 19
 - snap disc, 62, 107, 109, 121
 - two-stage, 106-7, 108-9, 121
 - Thin film glazings, 79, 82
 - Three- and four-mode systems with two blowers, 311-15
 - Tilting collectors, 46, 48, 49, 52-53
 - Time for building system, xiii-xiv
 - Tinsnips, 97-98
 - Tools, 97-100
 - bending, 100
 - Track, metal, 88-90, 91, 104
 - Tracking collectors, 45
 - Transfer tape, 147
 - Transmissivity, 78
 - Trombe wall, 12, 145
 - True south, 47
 - Trusses, collector, 150, 153-54
 - Turbulence, air, 64, 326 Turning vanes, 10, 60
 - installation of, 183-84, 185 Two-blower four-mode system, 258-59
 - Two-blower three-mode system, 257-58
 - Two-mode systems, 16-19
 - for domestic water and crawl-space heating, 305-8
 - four-collector system, 283-88
 - for space heating, 308-11
 - Two-stage thermostat, 106-7, 108-9, 121
- U**
- V-shaped bins, construction of, 274 V-tube collectors, 55-56, 60 .construction of, 146-47
- V**
- Vanes, turning. See Turning vanes
 - Variable-pitch pulley, 237 Velocity, airflow, 64, 232
 - Venting, summer, 113, 114
 - Vent placement, typical, 136
 - Vertical collectors, 48
 - Vertical wall mounts, 178-81
 - Vibration collars, 211
- W**
- Wall mounts, vertical, 178-81
 - Walls
 - masonry. See Masonry walls

- Walls (continued)
 - stucco, 180
 - Trombe, 12, 145
 - Ward warehouse retrofit, 291-93
 - Water, preheating, 29, 267-68
 - Water containers, for thermal storage, 266
 - Water gauge (WG), 65
 - Water heating
 - demand-type, 244
 - economics of domestic, 33-36
 - solar, 19-20, 239-54
 - using large collectors for, 242
 - Water-heating systems, 332-33
 - sizing, 34
 - Weatherization, **30**
 - collector, 171-72
 - Weatherstripping, 25
 - WG (water gauge), 65
 - Window box collectors, 5, 10, 11,55
 - building of, 122-30
 - design of, 60
 - insulation for, 123
 - placement of, 53
 - Winter solstice, 44
 - Wires, fishing, 118
 - Wiring
 - control, checking of, 315-16 of
 - differential thermostat, 117 of
 - remote bulb thermostat, 118 of
 - simple systems, 113-19
 - Wiring schematics, 301-16
 - abbreviations used in, 304
 - symbols used in, 303
 - for three- and four-mode systems with two blowers, 311-15
 - for two-mode system for domestic water and crawl-space heating, 305-8
 - for two-mode system for space heating, 308-11
 - Wood-frame collector, building of, 194-95
 - Working with officials, 316-18
- Z**
- Zaugg, Andy, 148, 209
 - Zinc-coated steel, 86
 - Zone heating, 15-16