

INDEX

Page numbers in **boldface** indicate tables.

A

Abbreviations used in wiring sections, 304

Absorber plates, 83-88

cleaning of, 62-63

dust on, 130

efficiency curves for, 324-25

flat plate, 127-28 installation

of, 126, 165-68 materials for,
102

options for, 184-85

Pittsburgh joints for, 85

preparation of, 163-65

selective surface for, 86-88

Absorber surface, metal, 4

Absorptivity, high, 86

Acrylics, 82

Active air-heating systems, 4, 5-7, 13

building of, 148-202

design considerations for, 63-75

materials for, 173

matrix, 73, 75

operating costs for, 115

placement of, 53

temperature differential in, **74**

Air

density of, 64

friction of, in straight ducts, 335 outside,

feeding collector with, 327-28 quality of,

77

standard, 331

turbulence of, 64, 236

velocity of, 232

Air circulators, room, 146, 147

Air collectors

convective, 329

thermosiphoning, 4

Air delivery checkout, 237

Air density, 64

Air filters, 215

Airflow calculation, **74** Airflow

disruptors, 184, 190 Airflow

rates, 63-64, 200, 259 Airflow

rules, 67

Airflows

balancing of, 237-38

laminar, 57-58

velocity of, 64, 232

Air handlers, 259-60

prefabricated, 282 sources

of, 281-82 Air-heater

options, 9-24

Air heaters, convective. See Convective air

heaters

- Air-heating collectors, 5, 7-8 Air-heating systems, active, 13 Air panel, thermosiphoning. See Thermosiphoning air panel
- Air quality, 77
- Airstream, heat transfer to, 325-26
- Air-to-water heat exchanger, 19, 21, 240-41 Air-to-water systems building of, 245-53
- design guidelines for, 239-44
- Air turbulence, 64, 326
- Air velocity, 232
- Altitude, sun, 44
- Aluminum duct tape, 95-96
- Aluminum plates, 84, 86, 102
- Ambient temperature, 2, 320-21
- Anemometer, 237
- hot wire, 330-31
- Annealed glass, 79, 81
- Annual mean solar radiation, 34
- Aquastat, 244
- Attached mounts, 174
- Aviation snips, 97-98
- B**
- Backdraft dampers, 17, 18, 62 building of, 134-37, 223, 224-26 flappers for, 225-26
- one-way, 111, 112, 119
 - testing and installation of, 138-39
- Backing, insulative, 161-63
- Backpass collector, 59
- Backpass designs, 141-42
- Back-up heaters, heat exchange tanks and, 253-54
- Backward-inclined blowers, 233-34
- Baer, Steve, 253
- Baffles, 67-68
- Base plates, 152-53 Belt-driven blowers, 234-35
- Bending tools, 100 Binder-head screws, 94 Bins, rock. See Rock bins Black chrome, 86
- Black-roof collectors retrofitting of, 195-202 Ron Loser's, 294-96 Blower hookups, 118-19 Blowers, 69-70, 109-10, 119 backward-inclined, 233-34
- belt-driven, 234-35 choosing of, 229-30, 232-37 collector, 18
 - direct-drive, 234-35 forward-curve, 109, 233 high-static-pressure, 235 installation of, 157, 210-13 radial-blade, 234
 - squirrel cage, 210
- Bond beam blocks, 275
- Bottom supports, 181
- Boundary layers, 64
- Bricks, for thermal storage, 265-66
- British thermal unit (Btu), 3
- fuel cost per million, 29
- Building codes, 316-17
- Building permits, 316 Buried rock bins, 276 Butterfly dampers, 69
- Butyl caulk, 93
- Butyl tape, glazing with, 143-44

Made available with generous permission of the authors

C

- Catalogs, mail-order, 100-101
- Caulk, sources for, 102
- Caulking, 36, 81, 90-94
- Caulking gun, 100
- Charts, sun path, 297-301
- Chimney effect, 56-57
- Cinder blocks, 211, 212
- Circuit breakers, 316
- Circulators, room air, 146, 147
- Clear-day solar energy, 3
- Cleats, 214
- Codes, building, 316-17
- Cold air intake, 16
- Collars
 - starting, 216
 - vibration, 211
- Collection process, 4
- Collector-and-crawl-space distribution system, 13-15
- Collector area, floor area and, **40**
- Collector blower, 18
- Collector components, static pressure in, **234**
- Collector inlet, 16
- Collector insulation, 94-97
- Collector materials. *See* Materials
- Collectors, 4-8
 - active. *See* Active air-heating systems
 - active matrix, 73, 75
 - air-heating, 5, 7-8
 - all-metal, 190-94
 - backpass, 59
 - black-roof. *See* Black-roof collectors
 - convective air, 329
 - cooling of, 113
 - design of, 44-75
 - do-it-yourself, xiii-xiv
 - doublepass, 59
 - farmstead, 24
 - fixed, 45
 - flat plate. *See* Flat plate collectors
 - Gibson's, 72-73
 - glazings for. *See* Glazings
 - large, for heating water, 242
 - liquid-heating, 5, 7-8
 - look of, xiv
 - matrix. *See* Matrix collectors
 - mesh, 59-60, 130
 - mounts for, 48
 - orientation of, 44-45
 - from panels, building of, 1,93
 - passive, 4-5
 - placement of, 53-54
 - planning for, in new construction, 54-55
 - as retrofits, 6-7
 - roof, 286-88
 - roof-mounted, building of, 150-73
 - single-glazed, 70-71
 - site-built. *See* Site-built collectors
 - size of, 29
 - \$300, 198, 199
 - tilting of, 46, 48, 49, 52-53
 - on flat roof, 176
 - tracking, 45
 - tying into, 216
 - U-tube. *See* U-tube collectors
 - vertical, 48
 - weatherproofing of, 171-72
 - window box. *See* Window box collectors
 - wood-frame, building of, 194-95
- Collector siting, moonshine, 52
- Collector thermostat, 16-17

Made available with generous permission of the authors

Collector trusses, 150, 153-54
 Compression seals, 111
 Computer fan, 62
 Concrete bins, 271
 Conduction, heat, 1
 Connectors, crimp, 301
 Construction
 materials for, 76-104
 new, planning for collectors in, 54-55
 Consumption, residential energy, 33
 Control systems, 105
 troubleshooting of, 315-16
 Control wiring, checking of, 315-16
 Convection, heat, 1
 Convective air collectors, 329
 Convective air heaters, 10-13
 design considerations for, 55-60
 Convective loop, 1
 Convective rock-bed storage systems, 147
 Cooling, summer, 200-202
 Cooling collectors, 113
 Copper pipe, 253-54
 Corrosion of materials, 98
 Cost-effective system, 25
 Costs, operating, 115
 Crawl space
 holes to, 178
 working in, 220-21
 Crawl-space controls, 14-15
 Crawl-space storage system, 15, 268-71
 Crawl-space system, 13-15
 Cricket, for drainage, 174
 Crimp connectors, 301
 Crimpers, duct, 100
 Cross ties, rock bin, 277-78
 Cut-off point, 105
 Cut-off static pressure, 235
 Cutting holes, 213-14
 CYRO system, 186

D

Dampers, 11, 14, 110-13, 119
 backdraft, 17, 18, 62
 building of, 223-29
 butterfly, 69
 guillotine, 228-29
 installation of, 214-15
 internal balancing of, 72
 manual, building of, 226-29
 motorized, 111, 112, 119
 one-way, 111, 112, 119
 testing of, 229
 Degree-day, heating (HDD), 3
 Demand-type water heaters, 244
 DEM-KOTE, 96
 Differential, of thermostat, 105
 Differential thermostat (DT), 106, 107-8, 120, 200
 for solar water heating, 243-44
 wiring of, 117
 Direct-drive blowers, 234-35
 Direct-use systems, 15-16
 Disruptors, airflow, 184, 190
 Distribution process, 4
 Distribution system
 balancing of, 334, 336
 collector- and -crawl I-space, 13-15
 installation of, 210-16
 Double glazing, 142-43, 186, 188
 Double-pane sealed glass, 81
 Doublepass collector, 59
 Drainage, cricket for, 174
 Dribblers, 249-50
 Drill, electric, 99
 DT. See Differential thermostat
 Ductboard, 206
 Ductboard ducting, 95, 102
 Duct crimpers, 100

Made available with generous permission of the authors

Duct holes, 154-55 Duct materials, 204-10 Ducts return, 159 straight, friction of air in, 335
 Duct sizing, 204, 216
 Duct systems design and installation of, 203-38
 Duct tape, aluminum, 95-96
 Duct transitions, 229
 Ductwork, 16, 62 assembling of, 206-10 design of, 203-4 installation of, 157 locating of, 203-4 static pressure in, 230-32
 Dust on absorber, 130 on glazing, 130

E

Easements, solar, 46, 317-18
 Economic efficiency, 329
 Economics of domestic water heating, 33-36 of solar heating, 25-43 of space heating, 36-38
 Efficiency, 319 economic, 329 system, 329-30 Efficiency curves, 319-28 generating, 320, 321
 Elastomeric sealants, 91
 Elbows, duct, 207-9
 Electrical components and terminology, 302-4

Electrical controls, 105
 Electric drill, 99
 Electric resistance heaters, 42-43
 Emissivity, low, 86
 Energy consumption, residential, 33
 EPDM (ethylene-propylene-diene-monomer), 86
 Equal static pressure method, for sizing ductwork, 334
 Etherton retrofit, 290-91
 Ethylene copolymer caulk, 91
 Ethylene-propylene-diene-monomer (EPDM), 86
 Eutectic salts, 266-67
 Exolite, 82
 Expanded polystyrene, 94-95
 Expansion of materials, 98
 Expected heat delivery, 41

F

Fan, computer, 62
 Farmstead collectors, 24
 Fiberglass batts, 95
 Fiber-reinforced plastic (FRP), 79, 102 as glazing, 127, 194-95
 Films, solar, 102
 Filters, air, 215
 Financing, 318
 Fin bands, 246
 Finned-tank-type exchanger, 19-20
 Fire danger, 316-17
 Fishing wires, 118
 Fixed collectors, 45
 Flappers for backdraft dampers, 225-26

Made available with generous permission of the authors

Flashing, 97, 102, 185, 187, 188, 190
 Flat plate absorbers, 127-28
 Flat plate collectors, 6
 efficient, characteristics of, 319-30
 Flexible duct, 206
 Flexigard, 82
 Floor area, collector area and, **40**
 Floor registers. See Register boots
 Flow rates, air, 63-64, 200, 259
 Forced convection, 4 Forward-curve blowers, 109, 233
 Foundation plate, 177-78 Four-mode system, 22
 Freon, 107 •
 Friction of air, in straight ducts, 3,35
 Frisket paper, 135, 147
 FRP. See Fiber-reinforced plastic
 Fuel bill, heat loss and, 42
 Fuel cost per million Btu, **29**
 Fuel oil, 43

G

Galvanic corrosion, 98
 Galvanized metal, 86, 102
 Galvarep, 96
 Gas, natural, 43
 Gibson's collector, 72-73
 Glass
 annealed, 79, 81
 cleaning of, 80 double-pane sealed, 81 moving of, 80, 81 nonglare, 78
 nontempered, 79, 81

 solar, 102
 tempered, 78-79, 102
 Glass slippage, 294
 Glass support installation, 168-69
 Glazing method, 186
 Glazing(s), 78, 102, 169-71
 with butyl tape, 143-44
 collector, 169-71
 for collectors, **83**
 double, 142-43, 186, 188
 dust on, 130
 efficiency curves for, 323-24
 FRP, 127
 thin film, 79, 82
 Gonzales retrofit, 283-88
 Gravel bed under slab-an-grade floor, 22-23
 Greenhouse effect, 4
 Grilles, louvered, 144
 Ground mounts, tilted, 176-78
 Guillotine dampers, 228-29
 Gussets, plywood, 154

H

HDD (heating degree-day), 3
 Heat
 adding to house, 2
 convection of, **1**
 cost of, **30** "high-grade," **9** "low-grade," **9** radiant, **1**
 Heat delivery
 expected, 41

Made available with generous permission of the authors

sizing for, 37-38

Heaters

- convective. *See* Convective air heaters
- electric resistance, 42-43

Heat exchanger air-to-

- water, 19, 21
- isolating of, 241
- sizing of, 241-42

Heating

- solar. *See* Solar heating
- water, economics of domestic, 33-36
- zone, 15-16

Heating degree-day (HDD), 3

Heating needs, 32

Heating zones, **35**, 39

Heat losses, 9

- fuel bill and, 42
- minimizing of, 1-2
- prevention of, 203

Heat storage. *See* Thermal storage

Heat transfer, 1, 64-67

- to airstream, 325-26
- optimizing of, 58-60
- sensible, 2

Heat trap, 105, 106

Hex-head screws, 94

High-static-pressure blowers, 235

High-temperature materials, 76-77

Holes, cutting of, 213-14

Home-improvement loan, 318

Hook joints, 184-85

Horizontal mullions, 141

Horizontal tanks, 248-50

Hot air registers, 18-19

Hot spots, 67

Hot water, preheating, 29, 267-68

Hot wire anemometer, 330-31

House, adding heat to, 2

Hybrid systems, 4

I

In-and-out tabs, 215-16, 217

Incidence, angle of, 44-45

In-duct coil-type heat exchanger, 240-41, 250-51

In-duct radiator-type heat exchanger, 19

Insolation, 3, 319

- amount of, 331-32
- latitude and, **40**

Installation, 42-43. *See also* Mounts

Insulation, 1-2, 25, 102

- for collector, 94-97
- efficiency curves for, 326
- in rock storage, 275
- for window box collectors, 123

Insulation levels, **35**, 39

Insulation stapler, 100

Insulative backing, 161-63

Internal balancing dampers, 72

Internal manifolding, 69

Investment, return on, 26

K

Kopf house TAP, 293-94

Kratz, Mary, 288-90

Made available with generous permission of the authors

- L**
- Ladder arrangements, 181-83
 - Laminar airflow, 57-58
 - Latitudes
 - insolation and, **40**
 - sun path charts for different, 297-301
 - Lexan, 82
 - Liquid-heating collectors, 5, 7-8
 - Liquid systems, 328-29
 - Litho plates, 84, 102
 - Loan, home-improvement, 318
 - Locking pliers, 100
 - Logic charts
 - for three-mode system with two blowers, **312**
 - for two-mode system for domestic water and crawl-space heating, **307**
 - for two-mode system for space heating, **310**
 - Loser black-roof collector, 294-96
 - Louvered grilles, 144
- M**
- Magazines, solar, 102
 - Magnetic-variation map, 47
 - Mail-order catalogs, 100-101
 - Maintenance, 193-94
 - Manifolds, 67, 68-69, 155-56
 - arrangements of, 222
 - building of, 216-23
 - design of, 219
 - insulating of, 221
 - materials for, 222-23
 - rectangular, 219
 - sealing of, 220-21
 - sizing of, 217, 219
 - Manometers, 333
 - Manual dampers, building of, 226-29
 - Manual on/off switches, 109
 - Masonry walls, 53, 180-81
 - mounting on, 145-46
 - Materials, 76-94
 - for active collector system, 173
 - corrosion of, 98
 - for duct, 204-10
 - expansion of, 98
 - high-temperature, 76-77
 - locating of, 77-78
 - for manifold, 222-23
 - for phase-change system, 266-67
 - for TAP, 134, 135
 - for \$300 collector, 199
 - Matrix collectors, 6, 88
 - active, 73, 75
 - MBtu (thousands of Btu's), 3
 - Mean radiant temperature, 2
 - Mesh absorber, 10, 11
 - Mesh collectors, 59-60, 130
 - Metal
 - galvanized, 86, 102
 - nobility of, 98
 - working with, xiii
 - Metal absorber surface, 4
 - Metal lath, 102
 - expanded, 88
 - for rock bins, 274-75
 - Metalprep, 96
 - Metal studs, 89-90, 104
 - Metal track, 88-90, 91, 104
 - Mildew, in rock bins, 256
 - MMBtu (millions of Btu's), 3
 - Mold, in rock bins, 256
 - Monitoring systems, 330-33

Moonshine collector siting, 52
 Moore, Roy, 195, 202
 Morris, W. Scott, 60, 251 Motorized dampers, 111, 112, 119 Mounts, 48, 174-83. See also
 Installation
 attached, 174
 on masonry walls, 145-46
 rack, 174
 scab roof, 175-76
 stand-off, 174
 tilted ground, 176-78
 vertical wall, 178-81
 Mullions, horizontal, 141
 Mylar, 79, 82

N

Nails, 94
 Natural convection, 4
 Natural gas, 43
 Nissley, Ruby, 288-90
 Nissley/Kratz retrofit, 288-90
 Nobility of metals, 98 Nonglare glass, 78 Nontempered glass, 79, 81 North, Bill, xi

O

Officials, working with, 316-18
 Oil, fuel, 43
 One-blower, four-mode system, 259

One-tank systems, 243
 building of, 250
 One-way (backdraft) dampers, 111, 112, 119
 On/off switches, manual, 109
 Operating costs for active collectors, 115
 Orientation, collector, 44-45

P

Paint, 96-97
 selective, 104
 Paint-Lock, 86, 102
 Panels, building collectors from, 193
 Parts lists
 for two-blower, three- and four-mode systems, 312-15
 for two-mode space-heating system, 310-11
 for two-mode system for water and space heating, 307-8
 Passive collectors, 4-5
 Passive systems, 4 Payback, 26-28
 simple, 26, 28
 variables that affect, **27**
 Performance evaluation, 63, 71, 73
 Performance parameter, 321-22, 332
 Permanent-split-capacitor (PSC) motor, 109
 Permits, building, 316
 Phase-change materials, 266-67
 Photovoltaics, 115
 Pipe, copper, 253-54
 Pittsburgh joints, for absorbers, 85
 Plastic, fiber-reinforced. See Fiber-reinforced plastic

Made available with generous permission of the authors

Plates
 absorber. See Absorber plates
 aluminum, 84, 86, 102 Plexiglas, 82
 Pliers, locking, 100
 Plywood gussets, 154
 Polyethylene film, 82
 Polyisocyanurate, 95, 102, 133, 189, 190
 Polyurethane, 94-95, 102
 Polyurethane caulk, 93
 Pop rivets, 99-100
 Porcupine tanks, 251, 253
 Preheating water, 29, 267-68
 Pressure, static. See Static pressure
 Priming, 96
 PSC (permanent-split-capacitor) motor, 109
 Pulley, variable-pitch, 237
 Pyranometer, 319, 331

R

Races, 55
 Rack mounting, 174 Radial-
 blade blowers, 234 Radiant
 heat, 1
 Radiation
 annual mean solar, 34
 direct, from thermal storage, 263, 265
 heat, 1
 Rainlock, 84, 86
 Ramstetter, J. K., xi, xv, 192
 Reciprocating saws, 100
 Recycled materials, 76-77
 Reflective gain, 71, 72
 Reflectors, efficiency curves for, 327
 Register boots, 214
 attaching of, 220
 cutting holes for, 219
 installation of, 214
 Relays, 302-4
 Remote bulb thermostat, 16, 106, 107, 121
 wiring of, 118
 Residential energy, consumption of, 33
 Retrofitting
 black-roof collector, 195-202
 collectors, 6-7
 Return duct, 159
 Return on investment, 26
 Returns, 209-10
 Rivets, pop, 99-100
 Rock-bed storage systems, convective, 147
 Rock bins, 22, 255-56
 building of, 271-79
 buried, 276
 cold return from top, 261, 263
 concrete, 271
 design of, 260-63
 insulation in, 275
 made of septic tanks, 271
 placement of, 263
 size for rock in, 281
 sizing calculations for, 262
 static pressure in, **262** V-
 shaped, 274
 Rocks, 273-74
 Rodgers, B. J., 142
 Roof
 flat, tilted collectors on, 176 steeply
 pitched, 182-83, 184 Roof
 collectors, 286-88
 building of, 150-73
 Roof mounts, scab, 175-76
 Room air circulators, 146, 147

Made available with generous permission of the authors

- Rota Flow 2, 282
 Rubber coating, silicone, 93-94
 R-value, 1
- S**
- Salts, eutectic, 266-67
 San Luis Valley, site-built collectors in, x-xiii
 Saws, reciprocating, 100
 Scab roof mounts, 175-76
 S-clips, 214-15
 Screwdrivers, 98-99
 Screws, 94, 95, 102
 Seals, compression, 111
 SEAs (solar energy associations), 77
 Selective paints, 87-88, 104 Selective surface absorbers, 86-88 Selective surface foil, 8
 Selective surfaces, 104
 Semis elective surface, 87
 Sensible heat transfer, 2
 Septic tanks, rock bins made of, 271
 SERI (Solar Energy Research Institute), 330
 Set-point, 105
 Shading, 45-46
 Shading problems, **49**
 Sheathing, 156-57
 Sheet-metal shops, 218
 Shingling, 157
 Shops, sheet-metal, 218
 Silicone, 81, 102, 158
 Silicone caulk, 90-94
 Silicone rubber coating, 93-94
 Silicone smears, cleaning, 171
- Single-glazed collectors, 70-71
 Single-stage thermostat, 19 Site, 25
 efficiency curves for, 328
 evaluating, 38-41
 moonshine collector, 52
 sun at, 44-55
 Site analysis, 50-51
 Site-built collectors, 8
 in San Luis Valley, x-xiii Slab-floor thermal storage, 265 Slab-on-grade floor, gravel bed under, 22-23
 Slab-on-gravel storage, 279-81
 Smoke-bomb testing, 173-74
 Snap disc thermostat, 62, 107, 109, 121
 Snow shear, 71
 Solar easements, 46, 317-18
 Solar energy, clear-day, 3
 Solar energy associations (SEAs), 77
 Solar Energy Research Institute (SERI), 330
 Solar films, 102
 Solar glass, 102
 Solar heating
 commercial installations, 23-24
 costs for, **31-32**
 economics of, 25-43
 principles of, 1-8
 of water, 19-20, 239-54
 Solar magazines, 102
 Solar radiation, annual mean, 34
 Solar rock, 274
 Solar systems
 building your own, xiii-xiv
 efficiency of, 329-30 passive and active, 4

- Solar systems (continued)
 - site-specific, xiv-xv
 - Solar window, 45-46, 48
 - South, true, 47
 - SP. See Static pressure
 - Space heating, economics of, 36-38
 - Squirrel cage blowers, 210
 - Stainless-steel screws, 94
 - Standard air, 331
 - Stand-off mounting, 174
 - Stapler, insulation, 100
 - Starting collars, 216
 - Static pressure (SP), 65, 66, 229-32
 - calculating, 334-36
 - in collector components, **234**
 - cut-off, 235
 - in ductwork, 230-32
 - measuring, 333
 - in rock bins, **262**
 - total, 334
 - Storage, thermal. See Thermal storage
 - Stucco walls, 180
 - Studs, metal, 89-90, 104
 - Summer cooling, 200-202
 - Summer solstice, 44
 - Summer venting, 113, 114
 - Sun
 - observation of, 46
 - at site, 44-55
 - Sun path charts, 297-301
 - Sunshine, 3
 - amount of, 44
 - Supplies, sources for, 100-104, 119-21, 147, 202, 254, 281-82
 - Surface absorbers, selective, 86-88
 - Switches, manual on/off, 109
 - Symbols, used in wiring schematics, 303
 - Systems. See Solar systems
- T
- Tanks, 245
 - back-up heaters and, 253-54
 - horizontal, 248-50 placement, 243
 - porcupine, 251, 253 pressure-testing, sealing, and insulating, 248
 - Tank-type heat exchanger, 240-41
 - TAP. See Thermosiphoning air panel
 - Tax credits, 26-27, 318
 - Tedlar, 147
 - Teflon, 82, 147
 - Temperature
 - ambient, 2, 320-21
 - mean radiant, 2
 - Temperature differentials, **63, 74**
 - inlet and outlet, **238**
 - Tempered glass, 78-79, 102
 - Thermal storage, 4, 20-23, 144-45
 - bricks for, 265-66
 - in crawl-space system, 15
 - direct radiation from, 263, 265
 - hot water preheat and, 267-68
 - for large systems, 255-82
 - passive solar plus active, 268
 - rock bin. See Rock bins
 - slab-floor, 265
 - slab-on-gravel, 279-81
 - water containers for, 266
 - Thermax, 95, 102, 133, 189, 190
 - Thermistors, 108
 - Thermosiphoning air collectors, 4
 - Thermosiphoning air panel (TAP), 5, 11, 12-13, 61-62
 - all-metal framework for, 140-41
 - building of, 130-46

Made available with generous permission of the authors

- design of, 131 example of, 132 materials for, 134, 135 mounting of, 56 placement of, 53 positioning of, 131 Silas Kopt's, 293-94
 - Thermostat, 105-9
 - collector, 16-17
 - differential. See Differential thermostat
 - differential of, 105
 - installation of, 157
 - remote bulb. See Remote bulb thermostat
 - in rock bins, 278 sensor installation, 163 single-stage, 19
 - snap disc, 62, 107, 109, 121
 - two-stage, 106-7, 108-9, 121
 - Thin film glazings, 79, 82
 - Three- and four-mode systems with two blowers, 311-15
 - Tilting collectors, 46, 48, 49, 52-53
 - Time for building system, xiii-xiv
 - Tinsnips, 97-98
 - Tools, 97-100
 - bending, 100
 - Track, metal, 88-90, 91, 104
 - Tracking collectors, 45
 - Transfer tape, 147
 - Transmissivity, 78
 - Trombe wall, 12, 145
 - True south, 47
 - Trusses, collector, 150, 153-54
 - Turbulence, air, 64, 326 Turning vanes, 10, 60
 - installation of, 183-84, 185 Two-blower four-mode system, 258-59
 - Two-blower three-mode system, 257-58
 - Two-mode systems, 16-19
 - for domestic water and crawl-space heating, 305-8
 - four-collector system, 283-88
 - for space heating, 308-11
 - Two-stage thermostat, 106-7, 108-9, 121
- U**
- V-shaped bins, construction of, 274 V-tube collectors, 55-56, 60 .construction of, 146-47
- V**
- Vanes, turning. See Turning vanes
 - Variable-pitch pulley, 237 Velocity, airflow, 64, 232
 - Venting, summer, 113, 114
 - Vent placement, typical, 136
 - Vertical collectors, 48
 - Vertical wall mounts, 178-81
 - Vibration collars, 211
- W**
- Wall mounts, vertical, 178-81
 - Walls
 - masonry. See Masonry walls

- Walls (continued)
 - stucco, 180
 - Trombe, 12, 145
 - Ward warehouse retrofit, 291-93
 - Water, preheating, 29, 267-68
 - Water containers, for thermal storage, 266
 - Water gauge (WG), 65
 - Water heating
 - demand-type, 244
 - economics of domestic, 33-36
 - solar, 19-20, 239-54
 - using large collectors for, 242
 - Water-heating systems, 332-33
 - sizing, 34
 - Weatherization, **30**
 - collector, 171-72
 - Weatherstripping, 25
 - WG (water gauge), 65
 - Window box collectors, 5, 10, 11,55
 - building of, 122-30
 - design of, 60
 - insulation for, 123
 - placement of, 53
 - Winter solstice, 44
 - Wires, fishing, 118
 - Wiring
 - control, checking of, 315-16 of
 - differential thermostat, 117 of
 - remote bulb thermostat, 118 of
 - simple systems, 113-19
 - Wiring schematics, 301-16
 - abbreviations used in, 304
 - symbols used in, 303
 - for three- and four-mode systems with two blowers, 311-15
 - for two-mode system for domestic water and crawl-space heating, 305-8
 - for two-mode system for space heating, 308-11
 - Wood-frame collector, building of, 194-95
 - Working with officials, 316-18
- Z**
- Zaugg, Andy, 148, 209
 - Zinc-coated steel, 86
 - Zone heating, 15-16